



M-CLEA Bioresource Co., Ltd.

88/60 Moo 12, Suwanbhum Factory, Soi Sonthornviphak, Bangplee-Tamru Rd., Tambon Bangpla, Amphoe Bangplee, Samutprakarn 10540 Thailand

FORM No.MC-17-07

Microbiological Testing Report (Rat)

【 M-CLEA Bioresource • February (Monthly Report) 】

Laboratory Institution: National Laboratory Animal Center, Mahidol University  
2020/2/4

Breeding Institute/Units Received Strain	MCBC/A1 Joi:SD BriHan:WIST@Joi(GALAS) SDT/Joi	Items					
cultivation	Dermatophytes	0/2					
	<i>Bordetella bronchiseptica</i>	0/2					
	<i>Pasteurella pneumotropica</i>	0/2					
	<i>Corynebacterium kutscheri</i>	0/2					
	<i>Pseudomonas aeruginosa</i>	0/2					
	<i>Salmonella</i> spp.	0/2					
	<i>Staphylococcus aureus</i> ■	0/2					
	<i>Mycoplasma pulmonis</i>	0/2					
	<i>Streptococcus pneumoniae</i>	0/2					
	<i>Clostridium piliforme</i>	0/2					
serology	<i>Mycoplasma pulmonis</i>	0/2					
	Sialodacryoadenitis virus	0/2					
	Sendai virus	0/2					
	<i>Giardia muris</i>	0/2					
microscopy	<i>Spirochaeta muris</i>	0/2					
	<i>Syphacia</i> spp.	0/2					
	<i>Aspicularis tetraptera</i>	0/2					
	Ectoparasite	0/2					

【Remarks】

- ※For periodic testing, it will use random sampling animal from breeding room unit
- This test is used for immune-deficient strain only
- This test is carried out by using one decoy of animal in the breeding room unit

Reporting Date (year/month/day) : 2020/2/28

*(Signature)*

(Tepmanas Bupha-Intr)

Veterinarian

M-CLEA Bioresource Co.,Ltd.



M-CLEA Bioresource Co., Ltd.

88/60 Moo 12, Suwanbhut Factory, Soi Soonthornviphak, Bangplee-Tamru Rd., Tambon Bangpla, Amphoe Bangplee, Samutprakarn 10540 Thailand

FORM No.MC-17-06

Microbiological Testing Report (Mouse)

【 M-CLEA Bioresource • February (Monthly Report) 】

Laboratory Institution: National Laboratory Animal Center, Mahidol University  
2020/2/4

Items	Breeding Institute/Units Received Strain	MCBC/A1 C57BL/6N/Jcl Jcl:ICR BALB/cAJcl C3H/HeN/Jcl					
cultivation	Dermatophytes	0/2					
	<i>Citrobacter rodentium</i>	0/2					
	<i>Pasteurella pneumotropica</i>	0/2					
	<i>Corynebacterium kutscheri</i>	0/2					
	<i>Pseudomonas aeruginosa</i>	0/2					
	<i>Salmonella</i> spp.	0/2					
	<i>Staphylococcus aureus</i> ■						
	<i>Mycoplasma pulmonis</i>	0/2					
	<i>Streptococcus pneumoniae</i>	0/2					
	<i>Clostridium piliforme</i>	0/2					
serology	<i>Mycoplasma pulmonis</i>	0/2					
	Mouse hepatitis virus	0/2					
	Sendai virus	0/2					
PCR	<i>Ectromelia virus</i>	0/2					
	<i>Giardia muris</i>	0/2					
microscopy	<i>Spirochaeta muris</i>	0/2					
	<i>Syphacia</i> spp.	0/2					
	<i>Aspicularis tetraptera</i>	0/2					
	<i>Ectoparasite</i>	0/2					

【Remarks】

- ※For periodic testing, it will use random sampling animal from breeding room unit
- This test is used for immune-deficient strain only
- This test is carried out by using one decoy of animal in the breeding room unit

Reporting Date (year/month/day) : 2020/2/28

(Tepmanas Bupha-Intr)

Veterinarian  
M-CLEA Bioresource Co.,Ltd.



**M-CLEA Bioresource Co., Ltd.**  
 88/60 Moo 12, Suwanbhut Factory, Soi Soonthornviphak, Bangplee-Tamru Rd., Tambon Bangpla, Amphoe Bangplee,  
 Samutprakarn 10540 Thailand

FORM No. MC-18-03

**Microbiological Testing Report (Nude Mouse)**

**【 M-CLEA Bioresource • February (Monthly Report) 】**

Laboratory Institution: National Laboratory Animal Center, Mahidol University  
 2020/2/4

Breeding Institute/Units Received Strain Items	MCBC/A1						
	BALB/cA/Jcl-nu/nu	BALB/cA/Jcl-nu/+					
cultivation	Dermatophytes	0/2					
	<i>Citrobacter rodentium</i>	0/2					
	<i>Pasteurella pneumotropica</i>	0/2					
	<i>Corynebacterium kutscheri</i>	0/2					
	<i>Pseudomonas aeruginosa</i>	0/2					
	<i>Salmonella</i> spp.	0/2					
	<i>Staphylococcus aureus</i> ■	0/2					
	<i>Mycoplasma pulmonis</i>	0/2					
	<i>Streptococcus pneumoniae</i>	0/2					
	<i>Clostridium piliforme</i>	0/2					
serology	<i>Mycoplasma pulmonis</i>	0/2					
	Mouse hepatitis virus	0/2					
	Sendai virus	0/2					
PCR	<i>Ectromelia virus</i>	0/2					
	<i>Giardia muris</i>	0/2					
microscopy	<i>Spirochaeta muris</i>	0/2					
	<i>Syphacia</i> spp.	0/2					
	<i>Aspicularis tetraptera</i>	0/2					
	<i>Ectoparasite</i>	0/2					

**【Remarks】**

- ※For periodic testing, it will use random sampling animal from breeding room unit
- This test is used for immune-deficient strain only
- This test is carried out by using one decoy of animal in the breeding room unit

Reporting Date (year/month/day) : 2020/2/28

*(Signature)*

(Tepmanas Bupha-Intr)

Veterinarian

M-CLEA Bioresource Co., Ltd.