



M-CLEA Bioresource Co., Ltd.

88/60 Moo 12, Suwanbhum Factory, Soi Soonthornviphak, Bangplee-Tamru Rd., Tambon Bangpla, Amphoe Bangplee, Samutprakarn 10540 Thailand

FORM No. MC-17-07

Microbiological Testing Report (Rat)
【 M-CLEA Bioresource • March (Monthly Report) 】

Laboratory Institution: National Laboratory Animal Center, Mahidol University
 2020/5/5

Items	Breeding Institute/Units Received Strain	MCBC/A1							
		Jcl:SD BriHam:WIST@Jcl((GALAS))	SDT/Jcl						
cultivation	Dermatophytes		0/2						
	<i>Bordetella bronchiseptica</i>		0/2						
	<i>Pasteurella pneumotropica</i>		0/2						
	<i>Corynebacterium kutscheri</i>		0/2						
	<i>Pseudomonas aeruginosa</i>		0/2						
	<i>Salmonella</i> spp.		0/2						
	<i>Staphylococcus aureus</i> ■								
	<i>Mycoplasma pulmonis</i>		0/2						
	<i>Streptococcus pneumoniae</i>		0/2						
	<i>Clostridium piliforme</i>		0/2						
serology	<i>Mycoplasma pulmonis</i>		0/2						
	Sialodacryoadenitis virus		0/2						
	Sendai virus		0/2						
	<i>Giardia muris</i>		0/2						
microscopy	<i>Spirochaeta muris</i>		0/2						
	<i>Syphacia</i> spp.		0/2						
	<i>Aspiculuris tetraptera</i>		0/2						
	<i>Ectoparasite</i>		0/2						

【Remarks】

- ※ For periodic testing, it will use random sampling animal from breeding room unit
- This test is used for immune-deficient strain only
- This test is carried out by using one decoy of animal in the breeding room unit

Reporting Date (year/month/day) : 2020/05/22

(Tepmanas Bupha-Intr)
 Veterinarian



M-CLEA Bioresource Co., Ltd.

88/60 Moo 12, Suwanbhit Factory, Soi Soonthornviphak, Bangplee-Tamru Rd., Tambon Bangpla, Amphoe Bangplee, Samutprakarn 10540 Thailand

FORM No.MC-17-06

Microbiological Testing Report (Mouse)

【 M-CLEA Bioresource • March (Monthly Report) 】

Laboratory Institution: National Laboratory Animal Center, Mahidol University
2020/5/5

Breeding Institute/Units Received Strain		MCBC/A1					
Items							
cultivation	Dermatophytes	0/2					
	<i>Citrobacter rodentium</i>	0/2					
	<i>Pasteurella pneumotropica</i>	0/2					
	<i>Corynebacterium kutscheri</i>	0/2					
	<i>Pseudomonas aeruginosa</i>	0/2					
	<i>Salmonella</i> spp.	0/2					
serology	<i>Staphylococcus aureus</i> ■	0/2					
	<i>Mycoplasma pulmonis</i>	0/2					
	<i>Streptococcus pneumoniae</i>	0/2					
	<i>Clostridium piliforme</i>	0/2					
	<i>Mycoplasma pulmonis</i>	0/2					
	Mouse hepatitis virus	0/2					
PCR	Sendai virus	0/2					
	<i>Ectromelia virus</i>	0/2					
microscopy	<i>Giardia muris</i>	0/2					
	<i>Spiroplasma muris</i>	0/2					
	<i>Syphacia</i> spp.	0/2					
	<i>Aspicularis tetraptera</i>	0/2					
	<i>Ectoparasite</i>	0/2					

【Remarks】

- ※For periodic testing, it will use random sampling animal from breeding room unit
- This test is used for immune-deficient strain only
- This test is carried out by using one decoy of animal in the breeding room unit

Reporting Date (year/month/day) : 2020/05/22

(Tepmanas Bupha-Intr)

Veterinarian

M-CLEA Bioresource Co.,Ltd.



M-CLEA Bioresource Co., Ltd.
 88/60 Moo 12, Suwanbhut Factory, Soi Soonthornviphak, Bangplee-Tamru Rd., Tambon Bangpla, Amphoe Bangplee,
 Samutprakarn 10540 Thailand

FORM No.MC-18-03

Microbiological Testing Report (Nude Mouse)
【 M-CLEA Bioresource • March (Monthly Report) 】

Laboratory Institution: National Laboratory Animal Center, Mahidol University
 2020/5/5

Breeding Institute/Units Received Strain Items	MCBC/A2	
	BALB/cAJcl-nu/nu	BALB/cAJcl-nu/+
cultivation	Dermatophytes	0/2
	<i>Citrobacter rodentium</i>	0/2
	<i>Pasteurella pneumotropica</i>	0/2
	<i>Corynebacterium kutscheri</i>	0/2
	<i>Pseudomonas aeruginosa</i>	0/2
	<i>Salmonella</i> spp.	0/2
	<i>Staphylococcus aureus</i> ■	0/2
	<i>Mycoplasma pulmonis</i>	0/2
	<i>Streptococcus pneumoniae</i>	0/2
	<i>Clostridium piliforme</i>	0/2
serology	<i>Mycoplasma pulmonis</i>	0/2
	Mouse hepatitis virus	0/2
	Sendai virus	0/2
	<i>Ectromelia virus</i>	0/2
PCR	<i>Giardia muris</i>	0/2
	<i>Spiroplasma muris</i>	0/2
microscopy	<i>Syphacia</i> spp.	0/2
	<i>Aspicularis tetraptera</i>	0/2
	<i>Ectoparasite</i>	0/2

【Remarks】

- ※For periodic testing, it will use random sampling animal from breeding room unit
- This test is used for immune-deficient strain only
- This test is carried out by using one decoy of animal in the breeding room unit

Reporting Date (year/month/day) : 2020/05/22

(Tepmanas Bupha-Intr)
 Veterinarian
 M-CLEA Bioresource Co.,Ltd.