



**M-CLEA Bioresource Co., Ltd.**

88/60 Moo 12, Suwanbhut Factory, Soi Soonthornviphak, Bangplee-Tamru Rd., Tambon Bangpla, Amphoe Bangplee, Samutprakarn 10540 Thailand

FORM No.MC-17-07

**Microbiological Testing Report (Rat)**

**【 M-CLEA Bioresource • June (Monthly Report) 】**

Laboratory Institution: National Laboratory Animal Center, Mahidol University  
6/2/2020

Breeding Institue/Units Received Strain	MCBC/A1 Jcl:SD Br:Han:WIST@Jcl(GALAS) SDT/Jcl						
Items							
Dermatophytes	0/2						
<i>Bordetella bronchiseptica</i>	0/2						
<i>Pasteurella pneumotropica</i>	0/2						
<i>Corynebacterium kutscheri</i>	0/2						
<i>Pseudomonas aeruginosa</i>	0/2						
<i>Salmonella</i> spp.	0/2						
<i>Staphylococcus aureus</i> ■							
<i>Mycoplasma pulmonis</i>	0/2						
<i>Streptococcus pneumoniae</i>	0/2						
<i>Clostridium piliforme</i>	0/2						
<i>Mycoplasma pulmonis</i>	0/2						
Sialodacryoadenitis virus	0/2						
Sendai virus	0/2						
<i>Giardia muris</i>	0/2						
<i>Spirochaeta muris</i>	0/2						
<i>Syphacia</i> spp.	0/2						
<i>Aspiculuris tetraptera</i>	0/2						
<i>Ectoparasite</i>	0/2						
Cultivation							
Serology							
Microscopy							

**【Remarks】**

- ※For periodic testing, it will use random sampling animal from breeding room unit
- This test is used for immune-deficient strain only
- This test is carried out by using one decoy of animal in the breeding room unit

Reporting Date (year/month/day): 2020/06/25

(Tepmanas Bupha-Intr)  
Veterinarian  
M-CLEA Bioresource Co.,Ltd.



**M-CLEA Bioresource Co., Ltd.**

88/60 Moo 12, Suwanbhut Factory, Soi Sonthornviphak, Bangplee-Tamru Rd., Tambon Bangpla, Amphoe Bangplee, Samutprakarn 10540 Thailand

FORM No.MC-18-03

**Microbiological Testing Report (Nude Mouse)**

**【 M-CLEA Bioresource • June (Monthly Report) 】**

Laboratory Institution: National Laboratory Animal Center, Mahidol University  
6/2/2020

Breeding Institute/Units Received Strain Items	MCBC/A3						
	BALB/cAJeI-nu/nu	BALB/cAJeI-nu/+					
Cultivation	Dermatophytes	0/2					
	<i>Citrobacter rodentium</i>	0/2					
	<i>Pasteurella pneumotropica</i>	0/2					
	<i>Corynebacterium kutscheri</i>	0/2					
	<i>Pseudomonas aeruginosa</i>	0/2					
	<i>Salmonella</i> spp.	0/2					
	<i>Staphylococcus aureus</i> ■	0/2					
	<i>Mycoplasma pulmonis</i>	0/2					
	<i>Streptococcus pneumoniae</i>	0/2					
	<i>Clostridium piliforme</i>	0/2					
Serology	<i>Mycoplasma pulmonis</i>	0/2					
	Mouse hepatitis virus	0/2					
	Sendai virus	0/2					
PCR	<i>Ectromelia virus</i>	0/2					
	<i>Giardia muris</i>	0/2					
Microscopy	<i>Spirochaeta muris</i>	0/2					
	<i>Syphacia</i> spp.	0/2					
	<i>Aspiculuris tetraptera</i>	0/2					
	Ectoparasite	0/2					

**【Remarks】**

- ※For periodic testing, it will use random sampling animal from breeding room unit
- This test is used for immune-deficient strain only
- This test is carried out by using one decoy of animal in the breeding room unit

Reporting Date (year/month/day): 2020/06/25

(Tepmanas Bupha-Intr)

Veterinarian

M-CLEA Bioresource Co.,Ltd.



M-CLEA Bioresource Co., Ltd.

88/60 Moo 12, Suwanbhum Factory, Soi Sonthornviphak, Bangplee-Tamru Rd., Tambon Bangpla, Amphoe Bangplee, Samutprakarn 10540 Thailand

FORM No.MC-17-06

Microbiological Testing Report (Mouse)  
 【 M-CLEA Bioresource • June (Monthly Report) 】

Laboratory Institution: National Laboratory Animal Center, Mahidol University  
 6/2/2020

Breeding Institute/Units Received Strain	MCBC/A1 C57BL/6NJcl Jcl:ICR BALB/cAJcl C3H/HeNJcl				
Items	0/2				
Dermatophytes	0/2				
<i>Citrobacter rodentium</i>	0/2				
<i>Pasteurella pneumotropica</i>	0/2				
<i>Corynebacterium kutscheri</i>	0/2				
<i>Pseudomonas aeruginosa</i>	0/2				
<i>Salmonella</i> spp.	0/2				
<i>Staphylococcus aureus</i> ■					
<i>Mycoplasma pulmonis</i>	0/2				
<i>Streptococcus pneumoniae</i>	0/2				
<i>Clostridium piliforme</i>	0/2				
<i>Mycoplasma pulmonis</i>	0/2				
Mouse hepatitis virus	0/2				
Sendai virus	0/2				
Ectromelia virus	0/2				
Giardia muris	0/2				
Spirochaeta muris	0/2				
Syphacia spp.	0/2				
Aspicularis tetraptera	0/2				
Ectoparasite	0/2				

【Remarks】

- ※For periodic testing, it will use random sampling animal from breeding room unit
- This test is used for immune-deficient strain only
- This test is carried out by using one decoy of animal in the breeding room unit

Reporting Date (year/month/day): 2020/06/25

(Tepmanas Bupha-Intr)  
 Veterinarian

M-CLEA Bioresource Co.,Ltd.