



M-CLEA Bioresource Co., Ltd.
 88/60 Moo 12,Suwanhuth Factory,Soi Soonthornviphak, Bangplae-Tamru Rd.,Tambon Bangplae, Amphoe Bangplae,
 Samutprakarn 10540 Thailand

FORM No.MC-18-03

Microbiological Testing Report (Immunodeficient Mouse Models)
【 M-CLEA Bioresource • April (Monthly Report) 】

Laboratory Institution : National Laboratory Animal Center, Mahidol University
 22/4/2024

Breeding Institute/Units Received Strain	MOBC/A3 BALB/cA/Jcl-nu/nu BALB/cA/Jcl-nu/+ C:B-17/IC-seid/scidJcl NOD/Sh:Jic-scldJcl BALB/cA/Jcl						
Items							
Dermatophytes	0/2						
<i>Citrobacter rodentium</i>	0/2						
<i>Pasteurella pneumotropica</i>	0/2						
<i>Corynebacterium kutscheri</i>	0/2						
<i>Pseudomonas aeruginosa</i>	0/2						
<i>Salmonella</i> spp.	0/2						
<i>Staphylococcus aureus</i> ■	0/2						
<i>Mycoplasma pulmonis</i>	0/2						
<i>Clostridium piliforme</i>	0/2						
<i>Mycoplasma pulmonis</i>	0/2						
Mouse hepatitis virus	0/2						
Sendai virus	0/2						
PCR							
<i>Ectromelia virus</i>	0/2						
<i>Giardia muris</i>	0/2						
<i>Spirochaeta muris</i>	0/2						
<i>Syphacia</i> spp.	0/2						
<i>Aspicularis tetraptera</i>	0/2						
<i>Ectoparasite</i>	0/2						
Serology							
Microscopy							

【Remarks】

- ※For periodic testing, it will use random sampling animal from breeding room unit
- This test is used for immune-deficient strain only

Reporting Date (day/month/year) : 24/04/2024

(Tepmanas Bupha-int'r)

Veterinarian

M-CLEA Bioresource Co.,Ltd.



M-CLEA Bioresource Co., Ltd.
 88/60 Moo 12, Suwanhnut Factory, Soi Soonthornviphak, Bangplae-Tamru Rd., Tambon Bangpla, Amphoe Bangplae,
 Samutprakarn 10540 Thailand

FORM No.MC-17-06

Microbiological Testing Report (Mouse)
【 M-CLEA Bioresource • April (Monthly Report) 】

Laboratory Institution : National Laboratory Animal Center, Mahidol University
 22/4/2024

Breeding Institute/Units Received Strain		MCBC/A1 C57BL/6NJcl Jcl:ICR BALB/cAJcl C3H/HeNJcl B6D2F1/Jcl					
Cultivation	Items						
	Dermatophytes	0/2					
	<i>Chrobacter rodentium</i>	0/2					
	<i>Pasteurella pneumotropica</i>	0/2					
	<i>Corynebacterium kutscheri</i>	0/2					
	<i>Pseudomonas aeruginosa</i>	0/2					
	<i>Salmonella</i> spp.	0/2					
	<i>Staphylococcus aureus</i>	0/2					
	<i>Mycoplasma pulmonis</i>	0/2					
	<i>Clostridium piliforme</i>	0/2					
Serology	<i>Mycoplasma pulmonis</i>	0/2					
	Mouse hepatitis virus	0/2					
	Sendai virus	0/2					
PCR	<i>Ectromelia virus</i>	0/2					
	<i>Giardia muris</i>	0/2					
	<i>Spirochaeta muris</i>	0/2					
	<i>Syphacia</i> spp.	0/2					
	<i>Aspicularis tetraptera</i>	0/2					
Microscopy	<i>Ectoparasite</i>	0/2					

Remarks

※For periodic testing, it will use random sampling animal from breeding room unit
 ■ This test is used for immune-deficient strain only

Reporting Date (day/month/year) : 24/04/2024

(Tepmanas Bupha-Intr)
 Veterinarian

M-CLEA Bioresource Co., Ltd.



M-CLEA Bioresource Co., Ltd.
88/60 Moo 12, Suwanhuth Factory, Soi Sonthornviphak, Bangplae-Tamru Rd., Tambon Bangpla, Amphoe Bangplae,
Samutprakarn 10540 Thailand

FORM No. MC-17-07

Microbiological Testing Report (Rat)
【 M-CLEA Bioresource • April (Monthly Report) 】

Laboratory Institution : National Laboratory Animal Center, Mahidol University
22/4/2024

Breeding Institute/Units Received Strain	MCBC/A1	Jci:SD BrHan:WIST@Jci(GALAS) SDT/Jci							
	Jci:SD								
Items									
Dermatophytes	0/2								
<i>Bordetella bronchiseptica</i>	0/2								
<i>Pasteurella pneumotropica</i>	0/2								
<i>Corynebacterium kutscheri</i>	0/2								
<i>Pseudomonas aeruginosa</i>	0/2								
<i>Salmonella</i> spp.	0/2								
<i>Staphylococcus aureus</i>	0/2								
<i>Mycoplasma pulmonis</i>	0/2								
<i>Streptococcus pneumoniae</i>	0/2								
<i>Clostridium piliforme</i>	0/2								
<i>Mycoplasma pulmonis</i>	0/2								
<i>Sialodactyloadenitis virus</i>	0/2								
Sendai virus	0/2								
<i>Giardia muris</i>	0/2								
<i>Spirochaeta muris</i>	0/2								
<i>Syphacia</i> spp.	0/2								
<i>Aspicularis tetrapera</i>	0/2								
<i>Ectoparasite</i>	0/2								

Remarks

- ※For periodic testing, it will use random sampling animal from breeding room unit
- This test is used for immune-deficient strain only

Reporting Date (day/month/year) : 24/04/2024.

(Tejmanas Bupha-Intr)

Veterinarian

M-CLEA Bioresource Co.,Ltd.